## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	10/650211	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:01
\$2	1	"6640302".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:38
S3	1	"5805803".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:39
S4	1	"6128644".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:39
S5	6	ebrahimi-hashem-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:40
S6	124	carter-stephen-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S7	0	Oyler-mel-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S8	2	Oyler-\$.in. AND mel	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S9	10380	"726".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S10	1590	726/2.ccls. OR 726/26.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S11	310	(secure ADJ communication).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S12	5	S11 AND S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:03
S13	236	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:04
S14	39	S13 AND S9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:05
S16	784	(secure ADJ communication). ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:11

S22	15	S16 AND S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S23	236	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S24	39	S23 AND S9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S27	10380	"726".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:42
S28	1836	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:52
S29	236	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:53
S30	14	S28 and S29	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 17:26
S31	0	(enhanced sustem, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:49
S32	0	(enhanced system, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:27
S33	0	(enhanced system method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:28
S34	1319	(security ADJ threat)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:28
S35	138	S28 AND S34	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:29
S36	4690	manag\$3 with secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:29
S37	724	manag\$3 ADJ secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:30
S38	25	S37 AND S28	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/23 08:52
S42	33	establish\$3 WITH (security session)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 06:39
S44	177	"26" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 07:25

S45	172	"28" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 06:41
S46	1	"6212640".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 09:51
S54	1838	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 10:40
S56	107134	"HTTPs"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:42
S57	748	"HTTPs" AND S54	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:45
S58	2322	suppress\$3 WITH messages	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:46
S59	2322	suppress\$3 WITH message	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:47
S60	111	suppress\$3 WITH message SAME link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:47
S61	40	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:52
S62	1	"6559769".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:01
S63	511	security ADJ3 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S64	336	security ADJ2 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S65	236	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S69	5	block\$3 WITH (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 12:15
S70	35164	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with security	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 16:34
S71	15	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 12:21
S75	2166	secure communication	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:22

S81	0	secure browser include another insecure browser	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:24
S82	0	secure browser include another http	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:24
S83	0	secure AD site WITH (insecure ADK site)	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:25
S84	1	secure ADJ site WITH (insecure ADJ site)	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:28
S85	4	"977385".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:29
S86	1	"6266774".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:31
S87	3	"4405829".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:32
S88	1	"6161099".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:34
S89	1	"6029245".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:34
S90	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 12:59
S91	2	"7093121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 13:54
S92	1	"6,081,900".pn. AND proxy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 14:34
S93	0	"6,081,900".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 14:34
S94	0	"6,640,302".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:18
S95	0	"7,093,121".pn. AND FTP	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:18
S96	2	"7,093,121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:47
S97	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:47

S98	7	("20020023143"	US-PGPUB;	OR	ON	2007/01/24
		"20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	USPAT; USOCR			15:54
S99	1	"6324648".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:57
S100	1	"6728886".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:57
S101	182	S70 AND S54 AND "713".clas.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 16:35
S102	0	10/752385	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 07:27
S103	0	(10/752385) AND (acquir\$4)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 07:28
S104	0	(10/752385) AND (pre)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 11:04
S105	1	"20020056033"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 11:04
S106	29	"20020056033" OR "5,889,996. pn" OR "6,065,120.pn" OR "6,128,644".pn. OR "6,148,405".pn. OR "6,233,608. pn" OR "6,263,437" OR "6,434,687".pn. OR "6,640,302".pn. OR "6,745,229. pn" OR "6,950,936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/16 11:08
S107	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:53
S108	2	09/493506	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:55
S109	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S112	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S113	0	(content near2 metadata) with (external near4 site) with (link or URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57

S114	0	(content near2 metadata) with (external near4 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S118	382	((content near2 metadata)) with (link OR URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:27
S119	0	((content near2 metadata)) with (link OR URL) with (scann \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:58
S120	0	((content near2 metadata)) with (link OR URL) same (external near client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:00
S121	6	(secure adj intranet).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:03
S122	2	"5805803".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:04
S124	2	"5963915".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:04
S125	2	10/650211	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S126	1	"6640302".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S127	1	"5805803".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S128	1	"6128644".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34

S129	8	ebrahimi-hashem-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S130	166	carter-stephen-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S131	0	Oyler-mel-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S132	2	Oyler-\$.in. AND mel	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S133	14576	"726".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S134	2531	726/2.ccls. OR 726/26.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S135	383	(secure ADJ communication).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S136	11	S135 AND S134	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S137	287	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S138	54	S137 AND S133	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S139	1006	(secure ADJ communication). ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S140	28	S139 AND S134	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S141	287	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S142	54	S141 AND S133	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S143	14576	"726".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S144	2653	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S145	287	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34

S146	20	S144 and S145	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S147	0	(enhanced sustem, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S148	0	(enhanced system, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S149	0	(enhanced system method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S150	1962	(security ADJ threat)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S151	214	S144 AND S150	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S152	6384	manag\$3 with secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S153	932	manag\$3 ADJ secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S154	33	S153 AND S144	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S155	41	establish\$3 WITH (security session)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S156	206	"26" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S157	197	"28" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S158	1	"6212640".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S159	2653	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S160	145983	"HTTPs"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S161	1144	"HTTPs" AND S159	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S162	2823	suppress\$3 WITH messages	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34

S163	2823	suppress\$3 WITH message	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S164	134	suppress\$3 WITH message SAME link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S165	51	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S166	1	"6559769".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S167	649	security ADJ3 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S168	414	security ADJ2 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S169	287	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S170	7	block\$3 WITH (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S171	43666	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with security	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S172	20	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S173	2592	secure communication	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S174	0	secure browser include another insecure browser	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S175	0	secure browser include another http	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S176	0	secure AD site WITH (insecure ADK site)	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S177	1	secure ADJ site WITH (insecure ADJ site)	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S178	4	"977385".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S179	1	"6266774".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S180	3	"4405829".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S181	1	"6161099".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S182	1	"6029245".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34

S183	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S184	2	"7093121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S185	1	"6,081,900".pn. AND proxy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S186	0	"6,081,900".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S187	0	"6,640,302".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S188	0	"7,093,121".pn. AND FTP	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S189	2	"7,093,121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S190	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S191	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S192	1	"6324648".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S193	1	"6728886".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S194	268	S171 AND S159 AND "713". clas.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S195	0	10/752385	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S196	0	(10/752385) AND (acquir\$4)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S197	0	(10/752385) AND (pre)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34

S198	1	"20020056033"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S199	38	"20020056033" OR "5,889,996. pn" OR "6,065,120.pn" OR "6,128,644".pn. OR "6,148,405".pn. OR "6,233,608. pn" OR "6,263,437" OR "6,434,687".pn. OR "6,640,302".pn. OR "6,745,229. pn" OR "6,950,936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S200	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S201	2	09/493506	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S202	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$203	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$204	0	(content near2 metadata) with (external near4 site) with (link or URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$205	0	(content near2 metadata) with (external near4 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$206	448	((content near2 metadata)) with (link OR URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$207	0	((content near2 metadata)) with (link OR URL) with (scann \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34

\$208	0	((content near2 metadata)) with (link OR URL) same (external near client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$209	7	(secure adj intranet).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$210	2	"5805803".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S211	2	"5963915".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$212	0	10/814983	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 17:52
\$213	0	10/752385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:32
\$216	15	(scan\$5 or inspect\$4) same content same (secur\$4 near3 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:46
\$217	1	"6081900".pn. and (scan\$5 or inpsect\$4) with (\$2secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:48
\$218	1	"6081900".pn. and (scan\$5 or inpsect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:09

S219	69	(scan\$5 or inspect\$4) same content same (secure\$4 near4 communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:25
S221	35	(scan\$5 or inspect\$4) same content same (secure\$4 near4 communication) and (@ad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:26
S222	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/26 14:31
S223	7	(secure adj intranet).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/26 14:31
S224	106	("5522041"   "5550984"   "5553239"   "5673322"   "5706434"   "5727145"   "5745360"   "5752022"   "5757924"   "5761683"   "5768271"   "5805803"   "5825890"   "5890171"   "5913025"   "5991810").PN. OR ("6081900").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 14:32
S226	7	S224 and (scan\$5 or inpsect\$5) with (content or inforamation or data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 14:34
S227	25	S224 and (scan\$5 or inspect\$5) and (site)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:04
S228	13	S224 and (scan\$5 or inspect\$5) with (content or inforamation or data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:05
S229	737524	S224 and (scan\$5 or inspect\$5) and (site) and (session)]	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:09
\$230	16	S224 and (scan\$5 or inspect\$5) and (site) and (session)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:09
\$231	33	("20020056033"   "20020068554"   "5550984"   "5553239"   "5657390"   "5673322"   "5757924"   "5768271"   "5805803"   "5825890"   "5889996"   "5913025"   "5913825"   "5963915"   "5991810"   "6029245"   "6065120"   "6081900"   "6128644"   "6148405"   "6192477"   "6199165"   "6233577"   "6233608"   "6263437"   "6324648"   "6434687"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:19

		"6473800"   "6640302"   "6745229"   "6950936"   "7007299"   "7093121").PN.				
S232	9	S231 and (scan\$5 or inspect\$5) and (site) and (session)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:19
\$233	8	"20030167403" OR "6003084". pn. OR "6732269".pn. or "7430757".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 09:32
\$234	7543	(726/11-14,22,26-30).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 09:58
\$235	0	(@ad<="20040116") AND (secure near session with insecure near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
5236	1212	(@ad<="20040116") AND (secure near session )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
\$237	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
\$238	25	(@ad<="20040116") AND (secure near session SAME (secure near2 site))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:07
\$239	8	("20030167403"   "6003084"   "6732269"   "7430757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:15
\$240	1	S239 and (in\$secur\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:17

S241	11	(@ad<="20040102") and (\$insecur\$4 near3 referenc\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:20
\$242	94769	(@ad<="20040102") and (http with https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:22
\$245	371	(@ad<="20040102") and (http with https with proxy) and (secur\$2 near2 communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:23
\$246	3515	(726/11-14,22).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:35
\$248	3896	(@ad<="20040102") and (http with https same prox\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:37
\$249	158	(@ad<="20040102") and (http with https same prox\$3) and \$246	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:37
\$250	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) same (remov\$4 or delet\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:18
\$251	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) AND (remov\$4 or delet\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:18
\$252	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30

\$253	0	(@ad<="20040116") AND ( (insecure near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30
\$254	0	(@ad<="20040116") AND ( (insecur\$2 near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30
\$255	0	(@ad<="20040116") AND ( (insecur\$2 near2 (link or reference)) same ((remov\$4 or delet\$4) near4 content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:31
\$256	0	(@ad<="20040116") AND ( (insecur\$2 near2 (link or reference)) same ((remov\$4 or delet\$4) near4 (content or link or cookie)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:31
\$257	15	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:32
\$258	29	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference or cookie)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 06:13
S259	1	("2004/0073629").URPN.	USPAT	OR	ON	2009/05/12 06:40
S260	0	(Us-20030131259-A1).did.	USPAT	OR	ON	2009/05/12 06:49
\$261	2	(US-20030131259-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 06:49
\$262	0	(secirity near2 warning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 08:22

\$265	9	manag\$4 with (security near2 warning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 08:23
\$266	2	(US-20030131259-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:04
\$267	2	"20040073629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:24
\$268	3	"20030131259"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:24
\$269	29	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference or cook \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:30
S270	0	10/752385 and (computer near2 medium)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:32
S271	0	10/752385 and (computer near readable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:32
S272	0	10/752385 and (computer near readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:32
\$273	0	10/752385 and (readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:32
S274	0	10/752385 and (computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:33

S275	0	10/752385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:33
S276	2019	(secure near2 communication). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:33
\$277	0	10/752385	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:34
S278	6404	(proxy with (hardware or software))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:11
S279	0	(proxy with (hardware or software)) with (\$2secure near2 reference)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:11
S280	30	(proxy with (hardware or software)) with (WWW)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:12
S281	1	11/386595	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 09:46
\$282	1	11/386595	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 09:46
\$283	2	"20070226800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 12:24
S284	0	10/752385 and (proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 15:23
S293	55	(reference with cookie with (header or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 16:51

S294	52	(reference with cookie with (header or metadata)) and (https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 16:52
\$295	25	(reference with cookie with (header or metadata)) SAME (https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 16:53
\$305	3	(@ad< "20040106") AND ((reference or http) with proxy with (secure adj session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 18:53
S306	2	"6640302".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 19:17
\$307	33	("5550984"   "5553239"   "5673322"   "5757924"   "5768271"   "5805803"   "5825890"   "5913025"   "5963915"   "5991810"   "6029245").PN. OR ("6640302").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/26 19:17
\$309	1811	(@ad< "20040106") AND ((reference or link) with (http or (secure adj site))) Same (browser or cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:24
\$313	2	(@ad< "20040106") AND ((reference or link) with ((secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:35
\$314	57	(@ad< "20040106") AND (scan \$6 with (reference or link) with (http or (secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:39
S315	1	(@ad< "20040106") AND (scan \$6 with (reference or link) with (tamper\$4 alter\$4 chang\$4 or (secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:47

S316	4	(@ad< "20040106") AND (scan \$6 with (url or http reference or link) with (tamper\$4 alter\$4 chang\$4 or (secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:48
S321	11	(@ad< "20040106") AND ((content information url or http reference or link) with (tamper\$4 alter\$4 chang\$4 modif\$4) with (secure adj2 session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:50
S326	0	(@ad< "20040106") AND ((reference or link) with (http or (secure adj site))) with (secure near2 session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:56
S327	115	(@ad< "20040106") AND ((content information url or http reference or link) SAME (tamper\$4 alter\$4 chang\$4 modif\$4) SAME (secure adj2 session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:57
S328	32	(@ad< "20040106") AND ((content information url or http reference or link) SAME (tamper\$4 alter\$4 chang\$4 modif\$4) with(secure adj2 session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:57
S329	9003	(content metadata near2 reference) with (hack\$4 tamper \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:34
S330	4770	(@ad< "20040106") AND (content metadata near2 reference) with (hack\$4 tamper \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35
\$331	4770	(@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35
\$332	1	(@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4)) with insecure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35

S333	9	(@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4)) with (insecure http https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
\$334	491511	(@ad< "20040106") AND ((content metadata reference) with (hack\$4 tamper\$4 modif \$4 chang\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
\$335	996	(@ad< "20040106") AND ((content metadata reference) with (hack\$4 tamper\$4 modif \$4 chang\$4)) with (secure or insecure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
\$336	8558	(726/11-14,22,26-30).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
\$337	74	S335 and S336	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
\$338	349	(@ad< "20040106") AND (proxy with (content metadata reference) with (hack\$4 tamper \$4 modif\$4 chang\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:43
\$339	8	(@ad< "20040106") AND (proxy with (content metadata reference) with (hack\$4 tamper \$4 modif\$4 chang\$4) with cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:43
S340	35	(@ad< "20040106") AND (proxy SAME (content metadata reference) with (hack \$4 tamper\$4 modif\$4 chang\$4) SAME cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:52
S341	27	S340 not S339	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:53

\$342	36	(@ad< "20040106") AND (proxy SAME (content metadata reference link usr) with (hack\$4 tamper\$4 modif \$4 chang\$4) SAME cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:59
S343	15	(@ad< "20040106") AND (proxy with (remov\$4) with cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:03
S344	7	(@ad< "20040106") AND (proxy with (delet\$4) with cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:11
\$345	61	(@ad< "20040106") AND (proxy with (delet\$4) with (cookie reference url))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:11
S346	75	(@ad< "20040106") AND ((proxy firewall) with (delet\$4) with (cookie reference url link))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:17
S347	14	S346 not S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:17
S379	0	"6081900".pn. and (proxy adj serer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 13:50
\$380	1	"6081900".pn. and (proxy adj server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 13:50
S383	9	("7552223".pn. or "6081900". pn. or "20030131259" or "20040073629")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 14:53

S384	4	("7552223".pn. or "6081900". pn. or "20030131259" or "20040073629") and (proxy or proxer adj server) with (warning or message or reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 14:53
S386	26989	(proxy near2 server) or (proxy near2 cach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:06
S387	3409	((proxy near2 server) or (proxy near2 cach\$4)) with (reference or URL or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:09
\$388	138	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:10
\$389	89	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:13
S390	2	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828") and (tamper\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:28
S391	243	(manag\$4 or control\$4) with ((proxy near2 server) or (proxy near2 cach\$4)) with (reference or URL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:30
S392	0	(manag\$4 or control\$4) with (warning near2 message) with ((proxy near2 server) or (proxy near2 cach\$4)) with (reference or URL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:30

<b>S</b> 393	17	(manag\$4 or control\$4) with ( message) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:31
S394	2	"6324648".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:40
<b>S</b> 395	2	"5805803".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:47
<b>S</b> 396	1	(Insecure adj reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:04
S397	308	(reference near3 tamper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:06
<b>S</b> 398	1795	(metadata near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
\$399	0	(metadata near2 reference) with tamper\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
\$400	79	(metadata near2 reference) and tamper\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
S401	0	(metadata near2 reference) SAME tamper\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09

S402	82	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2010/05/06 17:53
S403	138	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 18:13
S407	57	(translat\$4 or convert\$4) with insecure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 18:17
S409	3	(metadata near5 reference) with URL with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:23
S410	10	(proxy near server) with link with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:25
S414	77	(https same http same (warning near2 message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:36
S415	0	(https same http same (warning near2 message) same (proxy near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:37
S416	11	(https same http same (warning near2 message) AND (proxy near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:37
S417	4	("20020007415"   "6052730"   "6081900"   "6658463").PN. OR ("7584500").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/05/06 18:48
S418	6	(warning near2 message) with (proxy near server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:50

S419	398	(warning near2 message) AND (proxy near server) AND http AND HTTPS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:52
S420	398	(warning near2 message) AND (proxy near server) AND (http SAME HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:52
S422	5	(warning near2 message) with (proxy near server) AND (http with HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:52
S426	2163	(proxy near server) with (http with HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:53
S427	0	(proxy near server) with (http with HTTPS) with (warning near2 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:54
S430	82	(proxy near server) with (http with HTTPS) AND(warning near2 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:54
S431	3	"20030131259" and (action)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 09:59
S432	8	("2003/0131259").URPN.	USPAT	ADJ	ON	2011/03/12 10:00

CADO		\("20020056022" \	I IC DODI ID:	AD I	ONI	2011/02/12
S433	51	("20020056033"   "20020068554"   "20020199098"   "20030061387"   "20030131259"   "20030167403"   "20040015725"   "20040073629"   "5550984"   "5553239"   "5657390"   "5673322"   "5757924"   "5768271"   "5805803"   "5825890"   "5889996"   "5913025"   "5963915"   "5991810"   "6003084"   "6029245"   "6065120"   "6081900"   "6112228"   "6128644"   "6148405"   "6192477"   "6199165"   "6233577"   "6233608"   "6263437"   "6324648"   "6434687"   "6473800"   "6513061"   "6584567"   "6640302"   "6643701"   "6665721"   "6732269"   "6745229"   "6950936"   "6961759"   "7007299"   "7093121"   "7137143"   "7370351"   "7430757"   "7552223").PN. OR ("7904951").URPN.	US-PGPUB; USPAT; USOCR	ADJ	Z	2011/03/12
S434	8	("2003/0061387").URPN.	USPAT	ADJ	ON	2011/03/12
0407	0000	/ 00 d-l-100 d-l / / / / / / / / / / / / / / / / / / /	LIO PODI ID	OD	ONL	10:15
S437	6082	(remov\$3 or delet\$3 with (URL or link or reference)) same (http or https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:26
S438	42	S437 and 726/22.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:33
S439	0	(remov\$3 or delet\$3 with (URL or link or reference)) same (insecure near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:39
S440	19	(insecure near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:39

S441	6	(insecure near2 URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:41
S442	408	(insecure near2 link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:42
S443	248	(insecure near2 link) and (http or https or html or URL or script)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:52
S444	115	S443 and (@ad < "20040106" or @prad < "20040106" or @rlad < "20040106")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:52
S445	32	remov\$3 with http with (secure or insecure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:59
S451	2	(Us-20030061387-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 12:22
S452	2	"20030061387"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/12 14:25
S453	82	(remov\$3) with (metadata or tamper\$3 or header or reference) with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 14:26
S454	2	("2005/0169285").URPN.	USPAT	ADJ	ON	2011/03/12 14:29
S455	44	(delete\$3) with (metadata or tamper\$3 or header or reference or portion) with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 14:37

3/12/2011 2:46:25 PM

 $\label{eq:hamman} \mbox{H:$\backslash$\_\_A$-cle2$ AAREAL\_CASE$ $10-752-385$-managing-secure-communication-new $\backslash$ 10752385$-secure-communication.wsp}$